

RJAH Meniscal Allograft Transplant Guide

Patient Details:

Co-morbidity:

Note to Therapist:

**This is a guide to progression, not an exhaustive list of rehabilitation and does not replace clinical reasoning.*

**Treat any soft tissue symptoms on their merit.*

**Objective Tests can be used as an indication for progression.*

**Special Instruction(s) includes specific post-operative advice for the individual patient based on their surgeon's recommendation (as applicable). This will be completed on discharge or follow-up clinic appointments.*

PHASE OF REHABILITATION	IDEAL CRITERIA	REHABILITATION GUIDE	GOALS	OBJECTIVE TEST	SPECIAL INSTRUCTION
PHASE 1 From Day 1	<ul style="list-style-type: none"> ○ Successful operative outcome ○ Adequate pain relief ○ Understands post-op instructions 	<ul style="list-style-type: none"> ● Cryocuff/Ice ● CPM if available ● Active-assisted and active F and E exercises ● EOR E mobilisations ● H and calf stretches ● Ankle Exercises (e.g. heel raises) ● SQ progressing to SLR ● Heel slides (0°-90°) ● Co-contraction Q and H ● Prone SLR ● Weight transferring ● Elbow crutches for comfort 	<ol style="list-style-type: none"> 1. Reduce inflammation 2. Gain terminal E 3. Promote distal circulation 4. Gradually regain ROM 5. Increase confidence 6. Promote early mobility 		<p>Check if any specific post-op instructions have been given and amend the guide accordingly.</p> <p>Brace locked in extension when mobilising.</p> <p>Removed for washing.</p>

Reviewed: Sept 2018

Author: Andrea Bailey

Applicable for Simon Roberts, Peter Gallacher, Andrew Barnett, Paul Jermin, Richard Roach, Tony Smith, Steve White, unless operation note states otherwise.

PHASE OF REHABILITATION	IDEAL CRITERIA	REHABILITATION GUIDE	GOALS	OBJECTIVE TEST	SPECIAL INSTRUCTION
PHASE 2 From Week 1	<ul style="list-style-type: none"> ○ Full active and passive E ○ ≥45° F ○ Mobilise independently +/- aids 	<ul style="list-style-type: none"> • Abductor/ Adductor/ Gluteal exercises. • Isometric Q • Static Bike or Turbotrainer no/low resistance as tolerated (part revolution → full revolution as symptoms dictate). DO NOT use cleats or clips on pedals • Gradually increase weight-bearing • Independent gait re-education • Other muscle groups not to be neglected • Upper body active exercise → resis/reps/sets/speed • Soft tissue mobilisations 	<ol style="list-style-type: none"> 1. Promote early function 2. Protect meniscal transplant 3. Aid joint nutrition 4. Prevent adhesions 5. Increase ROM 6. Encourage FWB 7. Improve muscular control 	<p>AROM</p> <p>PROM</p> <p>SLR</p>	<p>Brace 0°-90° when mobilising.</p>

Reviewed: Sept 2018

Author: Andrea Bailey

Applicable for Simon Roberts, Peter Gallacher, Andrew Barnett, Paul Jermin, Richard Roach, Tony Smith, Steve White, unless operation note states otherwise.

PHASE OF REHABILITATION	IDEAL CRITERIA	REHABILITATION GUIDE	GOALS	OBJECTIVE TEST	SPECIAL INSTRUCTION
PHASE 3 From Week 6	<ul style="list-style-type: none"> ○ FWB ○ SLR no lag ○ AROM = Full E - $\geq 100^\circ$ 	<ul style="list-style-type: none"> ● Prone auto-over press F \rightarrow develop into Q stretch ● Gait with predictable changes in direction ● Sit \rightarrow Stand ● Low step-touch \rightarrow step-up \rightarrow step over ● Lunges $<45^\circ$ (aim for ideal alignment and control) ● Bridges (aim for ideal alignment and control) ● Proprioception \rightarrow single leg stance/wobble boards/Trampoline/crash mats/etc. ● Gymball and Theraband work ● Lower body active exercise (exception of full body weight CKC$>90^\circ$ until Month 3) \rightarrow resis/reps/sets/speed ● Muscle balance exercises as appropriate ● Core stability exercises as appropriate ● Flexibility exercises as appropriate ● Rowing \rightarrow dist./speed/resis ● X-Trainer \rightarrow dist./speed/resis ● Hydrotherapy (AVOID breaststroke leg kick until Month 3) 	<ol style="list-style-type: none"> 1. Progress functional activities 2. Prevent AKP 3. Prevent scar adherence 4. Prevent joint stiffness 5. Restore normal gait pattern 6. Promote appropriate muscle strength, power and endurance 7. Improve neuromuscular/ proprioception/ sensorimotor performance 8. Maintain cardiovascular fitness 9. Encourage patient compliance 	<p>AROM</p> <p>PROM</p> <p>Single Leg Stance</p> <p>Clam</p> <p>Planks</p>	<p>Brace 0°-120° when mobilisation.</p> <p><i>Dependant on surgical opinion.</i></p>

Reviewed: Sept 2018

Author: Andrea Bailey

Applicable for Simon Roberts, Peter Gallacher, Andrew Barnett, Paul Jermin, Richard Roach, Tony Smith, Steve White, unless operation note states otherwise.

PHASE OF REHABILITATION	IDEAL CRITERIA	REHABILITATION GUIDE	GOALS	OBJECTIVE TEST	SPECIAL INSTRUCTION
PHASE 3 From Week 12	<ul style="list-style-type: none"> ○ Normal symmetrical gait ○ AROM = Full E - $\geq 100^\circ$ ○ Single leg stance $\geq 80\%$ parity ○ Clams 10 reps with 10 sec hold ideal control [L] & [R] ○ Directional Planks 30 sec hold ideal control 	<ul style="list-style-type: none"> • Step-ups (for/back/sideways/over) → height/reps/speed • PWB (parallel bars) jumps, hops, leaps → control technique/speed/reps • Leg Press/Squats → resis/reps/sets/speed <p><i>Sequencing of training:</i></p> <ul style="list-style-type: none"> • Train 3 – 4 x per week • Train strength and endurance on separate days • Have a minimum of 24 hours between strength days • Choose numbers of sets and rest time between sets • Alternate upper/lower body exercises within session • Speed of contraction should be moderate to fast, but controlled. • Vary load/set/rest between sessions • Adjust if necessary based on symptoms • <i>Strength:</i> 10 – 20 min CV warm-up (exception of jogging/running) Choose a load 1 – 12 RM • <i>Endurance:</i> Gradually progress toward ≥ 45 min continuous CV exercise (exception of jogging/running) Choose a load 15 – 20 RM 	<ol style="list-style-type: none"> 1. Promote appropriate strength, power and endurance based on individuals needs 2. Improve neuromuscular performance 3. Increase confidence 	<p>AROM</p> <p>PROM</p> <p>Single Leg Squat 60°</p> <p>Effusion</p>	

Reviewed: Sept 2018

Author: Andrea Bailey

Applicable for Simon Roberts, Peter Gallacher, Andrew Barnett, Paul Jermin, Richard Roach, Tony Smith, Steve White, unless operation note states otherwise.

PHASE OF REHABILITATION	IDEAL CRITERIA	REHABILITATION GUIDE	GOALS	OBJECTIVE TEST	SPECIAL INSTRUCTION
PHASE 4 From Week 26	<ul style="list-style-type: none"> ○ Single Leg Squat 60° 5 sec hold with good alignment ○ No/ minimal effusion ○ No/ minimal pain 	<ul style="list-style-type: none"> • Gradually progress from PWB to FWB and double footed to single footed plyometrics as dictated by neuromuscular control, pain and swelling • Introduce jogging → running when strength, neuromuscular control, pain and swelling is adequate. 	1. Sport specific function	AROM PROM 5 RM Hop for distance	
Phase 5 From Week 30	<ul style="list-style-type: none"> ○ No/ minimal effusion ○ Full pain free AROM ○ 5 RM >80% parity ○ Hop for distance >80% parity 	<ul style="list-style-type: none"> • Progress from jog → run → sprint • Add agility drills when sufficient control and confidence is achieved e.g. twist/turn/pivot/cut/accelerate/decelerate/direction. Progress from predictable agility to unpredictable • Advance dynamic proprioceptive exercises e.g. volleying football, throwing, catching, racket and ball while balancing on trampette • Perturbation training e.g. therapist randomly nudges patient off balance during a single leg throw-catch drill • Sport specific training → terrain/volume/periodisation 	1. Prepare neuromuscular and psychological ability to return to unrestricted function	Vertical Jump As indicated for individuals goals	

Reviewed: Sept 2018

Author: Andrea Bailey

Applicable for Simon Roberts, Peter Gallacher, Andrew Barnett, Paul Jermin, Richard Roach, Tony Smith, Steve White, unless operation note states otherwise.

PHASE OF REHABILITATION	IDEAL CRITERIA	REHABILITATION GUIDE	GOALS	OBJECTIVE TEST	SPECIAL INSTRUCTION
PHASE 6 From Week 30+	<ul style="list-style-type: none"> ○ All Tests > 90% parity ○ Dependent on Consultant's approval 	<ul style="list-style-type: none"> • Earliest return to contact sport training • Progress to full restriction free sports and activities 	<ol style="list-style-type: none"> 1. Unrestricted confident function 2. Injury prevention 	Full sporting function	

Terminology Key:

E	Extension	PWB	Partial Weight Bear
F	Flexion	FWB	Full Weight Bear
EOR	End of Range	ROM	Range of Movement
IRQ	Inner Range Quadriceps	AROM	Active Range of Movement
SLR	Straight Leg Raise	PROM	Passive Range of Movement
Q	Quadriceps	OKC	Open Kinetic Chain
H	Hamstrings	resis	Resistance
AKP	Anterior Knee Pain	reps	Repetitions
[L]	Left	RM	Repetition Maximum
[R]	Right	CV	Cardiovascular
PFJ	Patellofemoral Joint		

Reviewed: Sept 2018

Author: Andrea Bailey

Applicable for Simon Roberts, Peter Gallacher, Andrew Barnett, Paul Jermin, Richard Roach, Tony Smith, Steve White, unless operation note states otherwise.